

In 1999, Peter Leleu invented the Paraflex as a solution for a problem that he was facing almost daily: umbrellas that caught the wind and flew off. A practical, hands-on design that has proven attractive for both the project sector and private individuals. Peter is now Sales Manager at Umbrosa.

Peter Leleu



CONCEPT

Nothing beats the versatility of the human body. As a result, for the Paraflex, we let ourselves be inspired by the manoeuvrability and strength of the human arm. A space-saving solution, without a base and without a pole, which offers you the possibility to create shade wherever you want it, by means of one, two or more umbrellas, according to your needs. The light and compact Paraflex offers maximum shade and is highly wind-resistant.

TRUMPS

- Flexible arm: shade where you want it
- No base + no central pole => space-saving
- Configuration according to your needs
- Light, compact and strong

NICE TO KNOW

The Paraflex collection consists of 2 holders, the Classic of 1,85 m and the Neo of 2 m, this last one has a more flat design and is easier to use. There are 4 Paraflex parasols, 2 square (1,9 - 2,3 m) and 2 round models (2,7 - 3). The largest parasols (2,3 m square and 3 m round) can only be used with the Neo holder. A universal protection cover is available for all models.



The flexible arm enables you to create shade wherever you want it.




The paraflex can be tilted by pressing the button.
So you have the perfect shade at a low evening sun.



The high quality frame is made of anodized aluminum with UV resistant polyamide components.
All parts can be replaced separately.

Paraflex



LEAD TIME, COLOURS AND MODELS														
PARAFLEX COLOUR	SOLIDUM				SUNBRELLA									
	Natural	Canvas	Grey	Taupe	Marble	Curacao	Mint	Blush	Pepper	Lichen	Adriatic	Blue Storm	Flanelle	Black
ROUND 2,7 M	QS	QS	QS	QS	3	3	3	3	3	3	3	3	3	3
ROUND 3 M	3	QS	QS	QS	3	3	3	3	3	3	3	3	3	3
SQUARE 1,9 M	3	QS	QS	3	3	3	3	3	3	3	3	3	3	3
SQUARE 2,3 M	QS	QS	QS	QS	3	3	3	3	3	3	3	3	3	3

QS = 3 days / 3 = 3 weeks production time

PARAFLEX ARM		Description	Price TVA excl.	Price TVA incl.
PFARM-CLASSIC		Paraflex classic arm, wall mount and bolts included - classic design.	242 €	300 €
PFARM-NEO		Paraflex Neo arm, wall mount and bolts included - clean design. Available from 1/2/2020.	363 €	450 €

UMBRELLA FRAME AND CANOPY - ROUND				
	Dimension	Fabric	Price TVA excl.	Price TVA incl.
	2,7 m	Solidum	367 €	455 €
		Sunbrella	459 €	569 €
	3 m	Solidum	460 €	570 €
		Sunbrella	575 €	713 €

* Use in combination with Neo arm.

UMBRELLA FRAME AND CANOPY - SQUARE			Price TVA excl.	Price TVA incl.	
	Dimension	Fabric			
	PFUMBRELLA190-COLOUR	1,9 m	Solidum	337 €	418 €
	PFUMBRELLA190-COLOUR		Sunbrella	421 €	522 €
	PFUMBRELLA230-COLOUR *	2,3 m	Solidum	480 €	595 €
	PFUMBRELLA230-COLOUR *		Sunbrella	601 €	745 €

* Use in combination with Neo arm.

COVER BAG		Description	Price TVA excl.	Price TVA incl.
	PFPROTECTION	Cover bag one size! Fits all Paraflex models - grey polyester fabric - stick included - the cover needs to be folded for smaller models.	52 €	65 €

PARAFLEX POLES		Description	Dimension	Price TVA excl.	Price TVA incl.
	PFMONOPOLE-220	Single pole - to be used with one or two umbrella holders (using the Duoflex hinge) - not applicable for the Neo arm (these are installed one above the other).	2,2 m	198 €	246 €
	PFMULTIPOLE-230	Multi pole suitable for the fixation of two, three or four umbrella holders and one extra umbrella (with poletop) - to use for the Duoflex configuration with Neo holders.	2,3 m	371 €	460 €
	PFDUOFLEXHINGE	Duoflex hinge - only for classic arm to install a second umbrella holder on a single pole - Remark: can also be used to fix an extra umbrella to the wall profile.		26 €	32 €
	PFPOLETOP-MULTIPOLE	Poletop to install 5th Paraflex on a multi pole.		43 €	53 €

MOUNTING OPTIONS AND BASES			Price TVA excl.	Price TVA incl.
	Description	Material		
	UM-ROUNDSUP-PORT-90	Galvanized steel	97 €	120 €
	Round support straight 90° to install the pole on a hard surface (concrete - wood) or on an Umbrosa base.			
	INGROUNDANCHORAGE-90		108 €	134 €
	UM-WALLBRACKET-SINOX	Stainless steel	45 €	56 €
	FULLTILEBASEALU		703 €	872 €
	Full tile base set ALU: base-cover-tiles-wheels - galvanized steel - 190 kg - 85 x 85 x 17 cm - cover ALU.			

Further info on bases, finishes and usage can be found on page 24.

Paraflex

REPLACEMENT CANOPIES - FRAMES - COMPONENTS					Price TVA excl.	Price TVA incl.
Component	Shape	Dimension	Fabric			
PFCOVER270-COLOUR	Canopy	2,7 m	Solidum	214 €	265 €	
PFCOVER270-COLOUR			Sunbrella	306 €	379 €	
PFCOVER300-COLOUR		3 m	Solidum	252 €	313 €	
PFCOVER300-COLOUR			Sunbrella	368 €	456 €	
PFCOVER190-COLOUR		Square	1,9 m	Solidum	194 €	241 €
PFCOVER190-COLOUR				Sunbrella	278 €	345 €
PFCOVER230-COLOUR			2,3 m	Solidum	327 €	406 €
PFCOVER230-COLOUR				Sunbrella	448 €	556 €
PFFRAME270	Frame	2,7 m		153 €	190 €	
PFFRAME300			3 m		207 €	257 €
PFFRAME190		Square		1,9 m	143 €	177 €
PFFRAME230			2,3 m	153 €	190 €	
PFRIB270-PART	Spare rib	2,7 m				
PFRIB190-PART		1,9 m		17 €	21 €	
PFRIB300-PART		3 m				
PFRIB230-SHORT-PART		2,3 m short		22 €	27 €	
PFRIB230-LONG-PART		2,3 m long				
PFG RIP-CLASSIC-PART	Grip for Classic arm			46 €	57 €	
PFG RIP-NEO-PART	Grip for Neo arm					


Fabrics

SOLIDUM



Acryl 250 gr/m² / colour Rating 7/8 (max = 8) / Water repellent

SUNBRELLA



Acryl 260 gr/m² / Colour Rating 7/8 (max = 8) / Water repellent

All colours of the Sunbrella fabric range furniture grade 'Solids' (no stripes or patterns) are available on special request with a minimum order quantity of 10 pcs.

CHARACTERISTICS	VALUES		UNITS	STANDARDS
	WARP	WEFT		

OVERALL CHARACTERISTICS

Composition	100% solution dyed acrylic		
Finish	Stain-resistant treatment: Exclusive Glen Raven formulation. Does not contain PFOS (perfluorooctanyl sulphonate)		
Weave	Weave		ISO 7211-1
Weight	255	g/m ²	ISO 3801
Width	137	cm	EN 1773

FABRIC STRENGTH

Tensile strength	160	80	daN	ISO 13934-1
Tear strength	7	3.7	daN	ISO 13937-1


COLOR RESISTANCE

Color fastness UV	7/8	class/8	ISO 105 B02
Color fastness weather condition	7/8	class/8	ISO 105 B04

USE

Roll length	50	lm
Recommended use	parasols, cushions, upholstery	
Guarantee	3	Years
Temperature of use	-20 >> +70	°C

COLORS



Monitor/printer colors may vary. Please refer to actual fabric before making your final decision.



The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. Of course we do our best to eliminate all mistakes, but Umbrosa is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only.

CHARACTERISTICS	VALUES		UNITS	STANDARDS
	WARP	WEFT		

OVERALL CHARACTERISTICS

Composition	100% solution dyed acrylic		
Finish	Stain-resistant treatment: Exclusive Glen Raven formulation. Does not contain PFOS (perfluorooctanyl sulphonate)		
Weave	Weave		ISO 7211-1
Weight	260	g/m ²	ISO 3801
Width	137	cm	EN 1773

FABRIC STRENGTH

Tensile strength	160	80	daN	ISO 13934-1
Tear strength	7	3.7	daN	ISO 13937-1


COLOR RESISTANCE

Color fastness UV	7/8	class/8	ISO 105 B02
Color fastness weather condition	7/8	class/8	ISO 105 B04

USE

Roll length	50	lm
Recommended use	parasols, cushions, upholstery	
Guarantee	3	Years
Temperature of use	-20 >> +70	°C

COLORS



Monitor/printer colors may vary. Please refer to actual fabric before making your final decision.



The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. Of course we do our best to eliminate all mistakes, but Umbrosa is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only.